



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/900,320	07/06/2001	Roy M. Soetikno	STAN219	5631

24353 7590 12/23/2003

BOZICEVIC, FIELD & FRANCIS LLP  
200 MIDDLEFIELD RD  
SUITE 200  
MENLO PARK, CA 94025

EXAMINER

LANDREM, KAMRIN R

ART UNIT	PAPER NUMBER
----------	--------------

3738

DATE MAILED: 12/23/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/900,320

Applicant(s)

SOETIKNO ET AL.

Examiner

Kamrin R. Landrem

Art Unit

3738

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 26 September 2003.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1,3-6,8,10-15,17 and 19 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,3-6,8,10-13,15,17 and 19 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. §§ 119 and 120**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All   b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  
\* See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.  
a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)                      4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)                      5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_\_                      6) ☐ Other: \_\_\_\_\_

**DETAILED ACTION**

Claims 1,3-6,8,10-13,15,17, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Giantureo et al in view of Dua (USPN 5,968,068) further in view of Cox et al (USPN 5,290,294).

Giantureo et al discloses a metallic self-expanding luminal stent 30 comprising a tightening drawstring 40 through eyelets 20 located on one end of the stent, wherein the drawstring is slack during normal use and is tightened for compressing and removing the stent from the body lumen (2:41-65). Giantureo discloses all of the claimed elements except for the particulars pertaining to the location of the stent and the removal device. Giantureo discloses that the stent can be used in any body passageway but does not specifically recite the gastrointestinal tract. It is well known in the art to use stents in vascular, urinal, and gastrointestinal lumens. As discussed in the previous office action, Dua et al discloses a gastrointestinal stent 10 with an interconnecting filament 24 to prevent reflux of gastric fluids through the esophagus. With reference to Figures 5a-b, Cox et al teaches the use of an apparatus comprising hinged forceps 110 that are located within sheath 12. The forceps 110 are capable of pulling an object directly into sheath 12. Therefore in view of the teachings it would have been obvious to one of ordinary skill in the art at the time the invention was made that the stent disclosed by Giantuero is capable of functioning in the gastrointestinal tract as taught by Dua. It would have also been obvious to one of ordinary skill in the art at the time the invention was made to have used the hinged forcep device taught by Cox in order to grasp the drawstring 40 of Giantuero, thus tightening and collapsing the stent 30 and withdrawing it into the sheath of the endoscopic device 12 for removal for the body.

Art Unit: 3738

***Response to Arguments***

Applicant's arguments with respect to claims 1-6,8,10-15, 17, and 18 have been considered but are moot in view of the new ground(s) of rejection.

***Conclusion***

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kamrin R. Landrem whose telephone number is 703-305-8061. The examiner can normally be reached on 8:00-5:00, Monday-Friday.


Art Unit: 3738

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on 703-308-2111. The fax phone number for the organization where this application or proceeding is assigned is 703-308-3905.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0858.

Kamrin Landrem  
Examiner  
AU 3738

KRL

A handwritten signature in black ink is written over a circular stamp. The stamp contains the text "Patent Examiner" and "AU 3738" in a circular arrangement.